CALPHAD

AUTHOR AND SUBJECT INDEX
VOLUME 17, 1993

PERGAMON PRESS
New York • Oxford • Seoul • Tokyo

CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

EDITOR-IN-CHIEF

Larry Kaufman, Cambridge Technology Center, Alcan Aluminum Corporation
21 Erie St., Cambridge, Massachusetts 02139, U.S.A.

ASSOCIATE EDITORS

I. Ansara
Laboratoire de Thermodynamique et
Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire B.P.75,
38402 St. Martind'Heres, France

C. Bernard
Laboratoire de Thermodynamique et
Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire B.P.75,
38402 St. Martind'Heres, France

T. Chart
Division of Materials Metrology
National Physical Laboratory
Teddington, Middlesex,
England DW11OlLW

M. Hillert
Division of Physical Metallurgy
Royal Institute of Technology
S-100 44 Stockholm 70, Sweden

H.L. Lukas
Max-Planck-Institut fur
Metallforschung
Institut fur Werstoffwissenschaften
Pulvermetallurgisches Laboratorium
Heisenbergstrasse 5
D-7000 Stuttgart 80, Germany

A.P. Miodownik
Department of Metallurgy
University of Surrey, Guildford
Surrey, GU2 5XH, England

H.A.J. Oonk
Chemical Thermodynamics Group
Faculty of Chemistry
University of Utrecht
Padualaan 8, 3584CH Utrecht
The Netherlands

A.D. Pelton
Department de genie metallurgique
École Polytechnique
Université de Montreal
Montreal, Quebec, Canada H3C 3A7

T. Nishizawa
Department of Material Science
Faculty of Engineering
Tohoku University, Sendai, Japan

M.H. Rand
B 552-AERE, Harwell
Didcot, Oxon, OX110RA, England

M.L. Saboungi
Chemical Engineering Division
Argonne National Laboratory
9700 South Cass Avenue
Argonne, Illinois 60439, U.S.A.

P.J. Spencer
Institute fur Theoretische Huttenkunde
Rhein—Westf. Technische Hoschule
Kopernikusstrasse 16
51 Aachen, Germany

A.L. Udovsky
Inst. of Metallurgy, Acad. of Sciences
Leninsky, Pr. 49
Moscow, 117334, Russia

Papers that are published in this journal are reviewed by the Editorial Board.

Production Editor: Douglas Cherno, Pergamon Press, Tarrytown, New York

Publishing, Subscription and Advertising Offices: Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., E-mail Address: ESUK.USA@ELSEVIER.COM; and Pergamon Press Ltd., Headington Hill Hall, Oxford OX3 0BW, England.

Published Quarterly. *Annual Institutional Subscription Rates* (1994): North, Central and South America, U.S.$470.00, Rest of World £305.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-Vat registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

CALPHAD Vol. 17, No. 4, p. 427, 1993
Printed in the USA.

0364-5916/93 $6.00 + .00
(c) 1993 Pergamon Press Ltd.

AUTHOR INDEX

CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

VOLUME 17. 1993

C. Bernard
Laboratoire de Thermodynamique
et Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire B.P.75,
38402 St. Martin d'Heres, FRANCE

AROKIARAJ S. 457
BLOK J.G. 450
CHANG Y.A. 449
CHANG Y.A. 455
CHANG Y.A. 461
CHANG Y.A. 467
CHANG Y.A. 471
CHEN S.L. 449
CHEN S.L. 455
CHEN S.L. 467
CHEN S.L. 471
CHOU K.C. 467
CHOU K.C. 471
CLAVAGUERA N. 474
CLAVAGUERA-MORA M.T. 474
COSTA NETO J.G. 465
COTO B. 458
DOJIVA R. 466
EFFENBERG G. 465
ERIKSSON G. 463
FRIES S.G. 465
FRISK K. 473
GAMA S. 465
GRUJICIC M. 457
GRUJICIC M. 475
GUIBAN M.A. 464
HALLSTEDT B. 470
HAMALAINEN M. 446
HAMALAINEN M. 454
HILLERT H. 453
HOCH M. 460
JIN Z. 476
KAO C.R. 449
KAUFMAN L. 474
KEJUN Z. 454
KOZODAEVA E.A. 447
KROUPA A. 466
LEE B.J. 468
LEE D.N. 462
LIANG H. 476
LILIUS K. 454
LUCK R. 472
LUKAS H.L. 465
MALE G. 464
OATES W.A. 448
OH C.S. 462
OHTANI H. 453
ONDERKA B. 446
OONK H.A.J. 450
PANDO C. 458
PELTON A.D. 463
PREDEL B. 472
RAVINDRA REDDY S. 459
RENUNCIO J.A.R. 458
SHIMING H. 451
SHIMING H. 452
SOPOUSEK J. 466
UDOVSKY A.L. 447
VAN DER KEMP W.J.M. 450
VAN DER LINDE P.R. 450
VRESTAL J. 466
WANG Z.C. 472
WENZL H. 448
WU P. 463
WYPARTOWICZ J. 446
XINGJUN L. 451
XINGJUN L. 452
ZABDYR L.A. 456
ZABDYR L.A. 469
ZHOU X.W. 475
ZUO Y. 449
ZUO Y. 461

CALPHAD Vol. 17, No. 4, pp. 429–434, 1993
Printed in the USA.

0364-5916/93 $6.00 + .00
(c) 1993 Pergamon Press Ltd.

SUBJECT INDEX

CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

VOLUME 17, 1993

C. Bernard
Laboratoire de Thermodynamique
et Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire B.P.75,
38402 St. Martin d'Heres, FRANCE

446
Lead activities and ternary miscibility gap in the Cu-Pb-Fe liquid solutions.
ONDERKA B., WYPARTOWICZ J., HAMALAINEN M.
Calphad, (1993), vol.17, t.1, p.1-16.

447
An optimized calculation of phase diagram and thermodynamic properties of the Ni-Cr system.
UDOVSKY A.L., KOZODAEVA E.A.
Calphad, (1993), vol.17, t.1, p.17-34.

448
Bond energy model of multiple sublattice solutions using species chemical potentials. Basic theory and relation to compound energy model.
OATES W.A., WENZL H.
Calphad, (1993), vol.17, t.1, p.35-46.

449
On the optimization of solution model parameter values of phases and the calculation of phase diagrams.
CHEN S.L., ZUO Y., KAO C.R., CHANG Y.A.
Calphad, (1993), vol.17, t.1, p.47-56.

450
The meltin properties of the earth alkaline oxides; thermodynamic analysis of the binary system (1-X)MgO + XCaO.
VAN DER KEMP W.J.M., VAN DER LINDE P.R., BLOK J.G., OONK H.A.J.
Calphad, (1993), vol.17, t.1, p.57-66.

451
An analysis on interaction parameters of binary solid solutions.
XINGJUN L., SHIMING H.
Calphad, (1993), vol.17, t.1, p.67-78.

452
A thermodynamic calculation of the Fe-Mn-Al ternary system.
XINGJUN L., SHIMING H.
Calphad, (1993), vol.17, t.1, p.79-92.

453
Calculation of V-C-N and Ti-C-N phase diagrams.
OHTANI H., HILLERT M.
Calphad, (1993), vol.17, t.1, p.93-100.

454
Thermodynamic modeling of the laves phases in the Cr-Zr system.
KEJUN Z., HAMALAINEN M., LILIUS K.
Calphad, (1993), vol.17,t.1, p.101-107

455
A thermodynamic analysis of the Al-Zn system and phase diagram calculation.
CHEN S.L., CHANG Y.A.
Calphad, (1993), vol.17, t.2, p.113-124.

456
Equilibrium diagram and thermodynamic properties of Cadmium-Antimony binary alloys. A critical assessment.
ZABDYR L.A.
Calphad, (1993), vol.17, t.2, p.125-132.

457
Chemical compatibility between zirconia dispersion and gamma titanium aluminide matrix.
GRUJICIC M., AROKIARAJ S.
Calphad, (1993), vol.17, t.2, p.133-140.

458
Correlation and prediction of phase equilibria in liquid mixtures by means of the uniquac equation.
COTO B., PANDO C., RENUNCIO J.A.R.
Calphad, (1993), vol.17, t.2, p.141-150.

459
Thermodynamics and phase equilibria in the system Ga-In using multi-parameter functions.
RAVINDRA REDDY S., HAJRA J.P.
Calphad, (1993), vol.17, t.2, p.151-156.

460
The phase stability of body-centered cubic nickel, and face-centered cubic chromium.
HOCH M.
Calphad, (1993), vol.17, t.2, p.157-160.

461
Thermodynamic calculation of the Al-Mg phase diagram.
ZUO Y., CHANG Y.A.
Calphad, (1993), vol.17, t.2, p.161-174.

462
Thermodynamic assessments of the In-Te and Al-Te systems.
OH C.S., LEE D.N.
Calphad, (1993), vol.17, t.2, p.175-188.

463
Critical evaluation and optimization of the thermodynamic properties and phase diagrams of the $MgO-Al_2O_3$, $MnO-Al_2O_3$, $FeO-Al_2O_3$, $Na_2O-Al_2O_3$ and $K_2O-Al_2O_3$ systems.
ERIKSSON G., WU P., PELTON A.D.
Calphad, (1993), vol.17, t.2, p.189-206.

464
The Ti-B-C-H-Cl system: a thermodynamic approach.
GUIBAN M.A., MALE G.
Calphad, (1993), vol.17, t.2, p.207-216.

465
Thermodynamic optimisation of the Nb-Cr system.
COSTA NETO J.G., FRIES S.G., LUKAS H.L., GAMA S., EFFENBERG G.
Calphad, (1993), vol.17, t.3, p.219-228.

466
The PD-package for multicomponent isobaric phase equilibrium calculations.
SOPOUSEK J., KROUPA A., DOJIVA R., VRESTAL J.
Calphad, (1993), vol.17, t.3, p.229-236

467
On a new strategy for phase diagram calculation. 1. Basic principles.
CHEN S.L., CHOU K.C., CHANG Y.A.
Calphad, (1993), vol.17, t.3, p.237-250.

468
Revision of thermodynamic descriptions of the Fe-Cr and Fe-Ni liquid phases.
LEE B.J.
Calphad, (1993), vol.17, t.3, p.251-268.

469
Thermodynamics and phase equilibria in the Sb-Zn system. Critical assessment.
ZABDYR L.A.
Calphad, (1993), vol.17, t.3, p.269-280

470
The magnesium-oxygen system.
HALLSTEDT B.
Calphad, (1993), vol.17, t.3, p.281-286.

471
On a new strategy for phase diagram calculation. 2. Binary systems.
CHEN S.L., CHOU K.C., CHANG Y.A.
Calphad, (1993), vol.17, t.3, p.287-302.

472
A general regular-type geometric model for quaternary and higher-order systems.
WANG Z.C., LUCK R., PREDEL B.
Calphad, (1993), vol.17, t.3, p.303-334.

473
A thermodynamic evaluation of the Cr-Mn-N system.
FRISK K.
Calphad, (1993), vol.17, t.3, p.335-350.

474
Summary of the proceedings of the twenty second calphad meeting.
CLAVAGUERA N., CLAVAGUERA-MORA M.T., KAUFMAN L.
Calphad, (1993), vol.17, t.4, p.353-382.

475
Analysis of Fe-Ni-Cr-N austenite using the embedded-atom method.
GRUJICIC M., ZHOU X.W.
Calphad, (1993), vol.17, t.4, p.383-413.

476
A reassessment of the Ti-Ni system.
LIANG H., JIN Z.
Calphad, (1993), vol.17, t.4, p.415-426.

Ag-Cu-Ti 474
Ag-Cu-Ti-O 474
Al-Ce 474
Al-Cu 474
Al-Fe 451
Al-Fe-Mn 452
Al-Fe-Mn 454
Al-Fe-Mn 474
Al-Fe-Ni 474
Al-Hf-Ni 474
Al-Mg 461
Al-Mg-O 474
Al-Mn 474
Al-Nd 474
Al-O-Fe 474
Al-Te 462
Al-Ti 474
Al-Ti-Nb 474
Al-Zn 455
Al_2O_3-FeO 463
Al_2O_3-k_2O 463
Al_2O_3-MgO 463
Al_2O_3-MnO 463
Al_2O_3-Na_2O 463
B-C-H-Cl-Ti 464
B-Nd-Fe 474
Be-Fe 474
Bi-O 474
bond energy model 448
C-Cr-V-Fe-Mo 474
C-Fe-Cr 474
C-H-Cl-Ti-B 464
C-N-Fe 474
C-N-Ti 453
C-N-Ti 474
C-N-V 453
C-Zn 474
C-Zr 474
Ca-Fe-O-Si 474
CaO-MgO 450
Cd-Hg-Te 474
Cd-Sb 456
Cd-Te-Hg 474
Cd-Te-Ti 474
Ce-Al 474
Ce-Mg 474
CeO_2-ZrO_2 474
chemical capacitance 474
chemsage 474
Cl-Ti-B-C-H 464
Co-Fe-Gd 474
Co-Fe-Ni 474
Co-In 474
Co-Ti-Zr-Fe 474
Co-Ti-Zr-Ni 474
compound energy model 474
Cr Ni lattice stability 460
Cr-C-Fe 474
Cr-Fe 451
Cr-Fe 468
Cr-Fe 474
Cr-Fe-Mn-N 474
Cr-Mn-N 473
Cr-N-Fe-Ni 475
Cr-Nb 465
Cr-Ni 447
Cr-Ni-Ta 474
Cr-V-Fe-Mo-C 474
Cr-Zn 454
Cr-Zn-Cu 474
Cr-Zr 454
Cr-Zr-Cu 474
Cu-Al 474
Cu-Cr-Zn 474
Cu-Cr-Zr 474
Cu-Pb-Fe 446
Cu-Pt 474
Cu-Sn-Mg 474
Cu-Ti-Ag 474
Cu-Ti-O-Ag 474
CVM 474
Dy-Fe 474
Fe-Al 451
Fe-Al-O 474
Fe-B-Nd 474
Fe-Be 474
Fe-C-N 474
Fe-Co-Ti-Zr 474
Fe-Cr 451
Fe-Cr 468
Fe-Cr 474
Fe-Cr-C 474
Fe-Cr-C 474
Fe-Cu-Pb 446
Fe-Dy 474
Fe-Gd-Co 474
Fe-Mn 474
Fe-Mn-Al 452
Fe-Mn-Al 474
Fe-Mn-N-Cr 474
Fe-Mo-C-Cr-V 474
Fe-N 474
Fe-Ni 468
Fe-Ni-Al 474
Fe-Ni-Co 474
Fe-Ni-Cr-N 475
Fe-Ni-Ti-Zr 474
Fe-O-Si-Ca 474
Fe-Tb 474
Fe-Ti 474
FeO-Al_2O_3 463
Ga-In 459
Gd-Co-Fe 474
gibbs alcaline earth oxides 474
H-Cl-Ti-B-C 464
Hf-Ni-Al 474
Hg-Cd-Te 474
Hg-Te-Cd 474
In-Co 474
In-Ga 459
In-Te 462
K_2O-Al_2O_3 463
lattice stability Cr 474
lattice stability Ni Cr 460
laves phases 454
Li-Mg 474
liquid phases 468
LMTO-ASAl calculations 474
Mg-Al 461
Mg-Ce 474
Mg-Cu-Sn 474
Mg-Li 474
Mg-O 470
Mg-O-Al 474
MgO-Al_2O_3 463
MgO-CaO 450
mixcibility gap 446
Mn-Al 474
Mn-Al-Fe 452
Mn-Al-Fe 454
Mn-Al-Fe 474
Mn-Fe 474
Mn-N-Cr 473
Mn-N-Cr-Fe 474
MnO-Al_2O_3 463
Mo-C-Cr-V-Fe 474
model 472
multicomponent slags 474
N-Cr-Fe-Mn 474
N-Cr-Mn 473
N-Fe 474
N-Fe-C 474
N-Fe-Ni-Cr 475
N-Ti-C 453
N-Ti-C 474
N-V-C 453
Na_2O-Al_2O_3 463
Nb 474
Nb-Al-Ti 474
Nb-Cr 465

Nd-Al 474
Nd-Fe-B 474
new strategy 467
new strategy 471
Ni-Al-Fe 474
Ni-Al-Hf 474
Ni-Co-Fe 474
Ni-Co-Ti-Zr 474
Ni-Cr 447
Ni-Cr-N-Fe 475
Ni-Fe 468
Ni-Si 474
Ni-Ta-Cr 474
Ni-Ti 476
Ni-Ti-Zr-Fe 474
O-Ag-Cu-Ti 474
O-Al-Mg 474
O-Bi 474
O-Fe-Al 474
O-Mg 470
O-Si-Ca-Fe 474
Pb-Fe-Cu 446
Pb-Sn-Sb 474
Pb-Te 474
Pb-Tl 474
Pd-program package 466
Pd-V-Sn 474
Pt-Cu 474
Sb-Cd 456
Sb-Pb-Sn 474
Sb-Zn 469
Si-Ca-Fe-O 474
Si-Ni 474
Sn-Mg-Cu 474
Sn-Pd-V 474
Sn-Sb-Pb 474
solution model 449
Ta 474
Ta-Cr-Ni 474
Tb-Fe 474
Te-Al 462
Te-Cd-Hg 474
Te-In 462
Te-Pb 474
Te-Ti-Cd 474
Ti-Ag-Cu 474
Ti-Al 474
Ti-B-C-H-Cl 464
Ti-C-N 453
Ti-C-N 474
Ti-Cd-Te 474
Ti-Fe 474
Ti-Nb-Al 474
Ti-Ni 476
Ti-O-Ag-Cu 474
Ti-Zr-Fe-Co 474
Ti-Zr-Fe-Ni 474
Ti-Zr-Ni-Co 474
Tl-Pb 474
toughening for gamma TiAl by ZrO2 457
transition aluminides 474
uniquac equation 458
V 474
V-C-N 453
V-Fe-Mo-C-Cr 474
V-Sn-Pd 474
$YBa_2Cu_3O_{7-x}$ 474
Zn-Al 455
Zn-Sb 469
Zr-C 474
Zr-Cr 454
Zr-Cu-Cr 474
Zr-Fe-Co-Ti 474
Zr-Fe-Ni-Ti 474
Zr-Ni-Co-Ti 474
ZrO_2-CeO_2 474